

Attribut:Allows value

"Allows value" is a predefined property that can define a list of permissible values to restrict value assignments for a property and is provided by Semantic MediaWiki. This property is pre-deployed (also known as special property) and comes with additional administrative privileges but can be used just like any other user-defined property.

Usage 184

previous 202050100250500next 20

Filter ...

Showing 20 pages using this property.

B		
	BookVisible +	yes +
C		
	Complete +	Published + , Draft +
	Currency +	EUR (€) + , USD (\$) + , GBP (£) +
D		
	Difficulty +	Very easy + , Easy + , Medium + , ...
	DokitEPIEnable +	yes +
	DokitItemEnable +	yes +
	DokitManualEnable +	yes +
	DokitPageEnable +	yes +
	DokitPageImageColumns +	OneColumn + , TwoColumns + , ThreeColumns + , ...
	DokitPageImageWidth +	DokitPageImagewidth +
	DokitPageSpace +	S + , M + , L +
	DokitPageTitleType +	H1 + , H2 + , H3 + , ...
	DokitPageVeColumns +	OneColumnVe + , TwoColumnsVe + , ThreeColumnsVe + , ...
	DokitPageWarningType +	Dont + , Info + , Warning + , ...
	DokitPathsEnable +	yes +
	DokitReusableStepEnable +	yes +
	DokitSummaryEnable +	yes +
	DokitTutoEnable +	yes +
	Duration-type +	minute(s) + , hour(s) + , day(s) + , ...
E		
	EPI +	attention + , refer-to-instruction-manual + , use-hearing-protection + , ...